

RIGHT - OF - WAY									
TRACT NUMBERS	FL-HA-044.000	FL-HA-044.005	FL-HA-060.000	FL-HA-061.100					
RODDAGE	2.5	79.8	7.0	153.0					
SURVEY DATA	SURVEY COMPANY: FIELD BOOK: PAGES:								
CLASS LOCATION	CLASS 1								
MINIMUM DEPTH OF COVER	4'	5'	3'	5'	3'				
PIPE MATERIAL	3R	1	3R	1	3R	1	3R	1	3R
SET ON WEIGHT, GPW, GEOTEXTILE PIPE WEIGHT									

ALIGNMENT DETAIL

DATE OF AERIAL PHOTOGRAPHY: MARCH 8, 2013 AND MARCH 18, 2015


- PROPOSED PIPELINE
- PROPOSED PERMANENT EASEMENT
- TEMP WORKSPACE
- ADD. TEMP. WORKSPACE
- EASEMENT LINE
- CL STREAM/CREEK/DITCH
- EDGE OF WATER
- CL LEVEE
- FIELD DELINEATED WETLAND
- STREAM/DRAIN/WATERBODY BNDRY
- CL ROAD
- EDGE OF ROAD/PAVEMENT/CURB
- CL CULVERT
- CL RAILROAD
- ACCESS ROAD (PAR/TAR)
- STRUCTURE
- CONTOUR MAJOR (EVERY 10')
- CONTOUR MINOR (EVERY 2')
- PIPELINE MILEPOST
- PIPELINE MILEPOST 10TH
- PROPERTY LINE
- UNDERGROUND WATERLINE
- UNDERGROUND COM. CABLE
- UNDERGROUND POWERLINE
- UNDERGROUND SANITARY SEWER
- OVERHEAD POWERLINE
- OVERHEAD TELEPHONE
- VERIFIED PIPELINE
- FENCE
- TOP / TOE

TRANS. TOWER, GUY ANCHOR, HDD ENTRY/EXIT, FIRE HYDRANT, UTILITY POLE, AERIAL MARKER, ELEC., WATER, SAN. SEWER, GAS TELE. & STORM DRAIN MANHOLES, WELL, SEPTIC, VALVE, METER, SPREAD BREAK



REFERENCE DRAWING									
ENVIRONMENTAL SURVEY DATA									

SENSITIVE AREAS	6a, 6b, 8, 11, 15, 16, 18	6a, 6b, 8, 15, 16, 18	6a, 6b, 8, 16, 18
-----------------	---------------------------	-----------------------	-------------------



HYDROSTATIC TEST SECTION		REVISIONS		MATERIALS		ENGINEERING APPROVALS		SABAL TRAIL PROJECT PROPOSED 36" PIPELINE STA. 13813+00 TO STA. 13853+00 ALIGNMENT SHEET									
DWG. NO.	DESCRIPTION	REV	DRN	DATE	DESCRIPTION	ITEM NO.	DESCRIPTION	QTY	TITLE	SIGNATURE	DATE	LOC.	YEAR:	SHEET:	SCALE:	DWG.	REV.
		0		06/29/2015	ISSUED FOR BID	1	36" O.D. x 0.520" W.T., API 5L X70, FBE 16 MILS w/I.D. EPOXY 1.7 MILS	3796 LF	FRS	06/29/2015	03/14/2016	HAMILTON COUNTY, FLORIDA	2017	264 OF 492	1" = 200'	1657-PL-DG-70197-264	1
		1		03/14/2016	ISSUED FOR CONSTRUCTION	4	36" O.D. x 0.750" W.T., API 5L X70, FBE 16 MILS, ARO 24 MILS, w/I.D. EPOXY 1.7 MILS	204 LF	FRS	06/29/2015	03/14/2016						
						3R	3R ELBOW, HIGH STRENGTH WROUGHT BUTT-WELD FITTING, 36" O.D.	3 EA	DRS	06/29/2015	03/14/2016						

Document Path: H:\GIS\Draw\1657\Deliverables\Alignment\Sheet\1657-PL-DG-70197-264.mxd
 1657-PL-DG-70197-264.mxd