



DISCLAIMER: UNIVERSALPEGASUS INTERNATIONAL MAKES NO WARRANTY (EXPRESSED, IMPLIED OR OTHERWISE) THAT THE INFORMATION CONTAINED HEREIN IS ACCURATE OR COMPLETE AS TO ANY AND ALL SUBSURFACE CONDITIONS AND CONFORMATION. ANY RELIANCE CONTRACTOR PLACES ON THE INFORMATION CONTAINED HEREIN AS TO SUCH CONDITIONS, IS DONE SO AT ITS OWN RISK AND EXPENSE. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT THE STATE "ONE CALL" SYSTEM PRIOR TO ANY EXCAVATION.

SURVEY DATA		STATIONING	
MATCHLINE 1455+00	1455+00	MATCHLINE 1500+00	1500+00

ENGINEERING DATA		MATERIAL	
MATCHLINE 1455+00	1455+00	MATCHLINE 1500+00	1500+00
REFERENCE DRAWING	21040-440-PMW-00027		
CLASS LOCATION	Class II	1472+13	Class III
MINIMUM DEPTH OF COVER	3'	SEE REF DWG	3'
AC MITIGATION / CATHODIC PROTECTION			

ENVIRONMENTAL DATA		STATIONS	
MATCHLINE 1455+00	1455+00	MATCHLINE 1500+00	1500+00
WATERBODY/WETLAND CROSSINGS			
WATERBODY/WETLAND LENGTH			
PERMANENT EROSION CONTROL			
THREATENED AND ENDANGERED SPECIES			
SPECIAL CONDITIONS			

BILL OF MATERIALS				MISCELLANEOUS MATERIALS				TYPICAL DRAWINGS		GENERAL INFORMATION		LEGEND		REVISIONS		APPROVALS	
ITEM NO.	QTY	UOM	DESCRIPTION	QTY	UOM	DESCRIPTION	DWG/FIELD BOOK NO.	TITLE	1. THE MINIMUM DEPTH OF COVER FOR THE PROJECT IS 36 INCHES. ADDITIONAL DEPTH OF COVER IS REQUIRED FOR ROAD AND WATERBODY CROSSINGS, AND IS TO BE IN ACCORDANCE WITH REFERENCED PERMIT DRAWINGS, SITE SPECIFIC DRAWINGS, OR CONSTRUCTION SPECIFICATIONS, WHICHEVER IS MORE STRINGENT.	PIPELINE ROUTE	PERMANENT ROW	NO.	DESCRIPTION	DATE	REV BY	CHK BY	APP BY
4	60	FT	36" O.D. x 0.750" W.T., API 5L, X70, PSL2, DSAW, 14-16 MILS FBE & 24-30 MILS ARO	0	EA	SET ON WEIGHTS	21040-510-TYP-20001	CATHODIC PROTECTION STD. SINGLE POINT TEST STATION, TYPE 1	2. THE BOUNDARIES OF ALL WORK AREAS WILL BE CLEARLY MARKED AND ALL WORK SHALL REMAIN WITHIN THE DESIGNATED WORK AREA.	FENCE	TEMPORARY WORKSPACE	1		2016-04-08	MB	MJ	RG
5	1653	FT	36" O.D. x 0.625" W.T., API 5L, X70, PSL2, DSAW, 14-16 MILS FBE	7	EA	PIPELINE MARKERS	21040-510-TYP-20002	CATHODIC PROTECTION STD. FOREIGN PIPELINE CROSSING TEST STATION, TYPE 2	3. THE REQUIRED STATE ONE CALL NOTIFICATION IS THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR.	POWER LINE	ADDITIONAL TEMPORARY WORKSPACE	0	ISSUED FOR CONSTRUCTION	2015-12-15	MB	MJ	RG
6	2787	FT	36" O.D. x 0.750" W.T., API 5L, X70, PSL2, DSAW, 14-16 MILS FBE	2	EA	WARNING SIGNS	21040-510-TYP-20008	TYPICAL OPEN CUT / BORE	4. THE CONTRACTOR SHALL ACCESS THE WORK AREA USING ONLY PUBLIC ROADS AND APPROVED ACCESS ROADS.	TELEPHONE LINE	NON-FORRESTED WETLAND						
				0	EA	CP TEST STATION TYPE 1	21040-510-TYP-20011	CONTINUOUS CONCRETE COATING STANDARD FOR 36" / 30" PIPELINE	5. ADDITIONAL WARNING SIGNS MAY BE REQUIRED AS DICTATED BY CONSTRUCTION CONTRACT.	WATERLINE	FORRESTED WETLAND						
				0	EA	CP TEST STATION TYPE 2	21040-510-TYP-20012	TYPICAL SADDLE BAG WEIGHTS	6. MAP PROJECTION: NAD 1983 HARN STATE PLANE FLORIDA EAST FIPS 9901 FEET. VERTICAL DATUM: NAVD 88.	SEWER LINE							
				0	EA	AERIAL MARKERS	21040-510-TYP-20013	WARNING SIGN DETAIL		BURIED CABLE							
				0	EA	ANODE BED DEEP WELL	21040-510-TYP-20014	AERIAL MARKER INSTALLATION DETAIL		UTILITY LINE							
				0	EA		21040-510-TYP-20015	AERIAL MARKER DETAIL		GENERAL SURVEY							
				0	EA		21040-510-TYP-20016	TYPICAL PIPELINE MARKER ASSEMBLY		COUNTY BOUNDARY							
				0	EA		21040-510-TYP-20017	PIPELINE MARKER "WARNING" DECAL		HIGHWAY / ROAD							
				0	EA		21040-510-TYP-20018			PRIVATE ACCESS / SHOOPY ROAD							
				0	EA					ROW PARCEL							
				0	EA					PLSS SECTION LINE							
				0	EA					TRAP							
				0	EA					WATER WELL							
				0	EA					HDD ENTRY / EXT							