



**DISCLAIMER:** UNIVERSALPEGASUS INTERNATIONAL MAKES NO WARRANTY (EXPRESSED, IMPLIED OR OTHERWISE) THAT THE INFORMATION CONTAINED HEREIN IS ACCURATE OR COMPLETE AS TO ANY AND ALL SUBSURFACE CONDITIONS AND CONFORMATION. ANY RELIANCE CONTRACTOR PLACES ON THE INFORMATION CONTAINED HEREIN AS TO SUCH CONDITIONS, IS DONE SO AT ITS OWN RISK AND EXPENSE. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT THE STATE "ONE CALL" SYSTEM PRIOR TO ANY EXCAVATION.

SURVEY DATA		STATIONING	
MATCHLINE 2100+00	2101+13 FENCE CORNER RT 24'	MATCHLINE 2100+00	2101+37 FENCE
	2106+18 POWER POLE RT 25'		2109+45
	2109+45 P.L. 108°50' LT		2110+58
	2110+58 P.L. 100°02' RT		2124+69
	2111+15 FENCE CORNER RT 18'		2125+69
	2112+95 GUY ANCHOR RT 22'		2131+13
	2113+20 POWER POLE RT 22'		2133+77
	2113+20 POWER LINE		2138+13
	2113+20 GUY ANCHOR LT 5'		2138+13
	2116+71 POWER POLE RT 22'		2146+66
	2120+25 POWER POLE RT 23'		2147+26
	2120+34 IRON PIPE LT 19'		2147+72
	2123+73 POWER POLE RT 24'		
	2127+31 POWER POLE RT 23'		
	2130+10 FENCE CORNER		
	2130+28 MONUMENT RT		
	2130+34 MONUMENT RT		
	2130+74 POWER POLE RT 24'		
	2133+77 P.L. 45°23'11" LT		
	2134+71 UNNAMED RD		
	2134+71 CLAR 12.30		
	2138+13 P.L. 45°13'36" RT		
	2147+26 FENCE		
	2147+43 FENCE		
MATCHLINE 2150+00		MATCHLINE 2150+00	

BILL OF MATERIALS		MISCELLANEOUS MATERIALS		TYPICAL DRAWINGS		GENERAL INFORMATION		LEGEND		REVISIONS		APPROVALS						
ITEM NO.	QTY	UOM	REQ#	MATERIAL NUMBER	DESCRIPTION	DWG/FIELD BOOK NO.	TITLE	1. THE MINIMUM DEPTH OF COVER FOR THE PROJECT IS 36 INCHES. ADDITIONAL DEPTH OF COVER IS REQUIRED FOR ROAD AND WATERBODY CROSSINGS, AND IS TO BE IN ACCORDANCE WITH REFERENCED PERMIT DRAWINGS, SITE SPECIFIC DRAWINGS, OR CONSTRUCTION SPECIFICATIONS, WHICHEVER IS MORE STRINGENT.	HDD PIPE	NO.	DESCRIPTION	DATE	REV BY	CHK BY	APP BY	DRAWN BY:	MB	CONSTRUCTION PERMIT NO.
1	5000	FT			36" O.D. x 0.520" W.T., API SL, X70, PSL2, DSAW, 14-16 MILS FBE	21040-510-TYP-20001	SET ON WEIGHTS	2. THE BOUNDARIES OF ALL WORK AREAS WILL BE CLEARLY MARKED AND ALL WORK SHALL REMAIN WITHIN THE DESIGNATED WORK AREA.	BORE PIPE	1								
	5	EA			PIPELINE MARKERS	21040-510-TYP-20002	CATHODIC PROTECTION STD. SINGLE POINT TEST STATION, TYPE 1	3. THE REQUIRED STATE ONE CALL NOTIFICATION IS THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR.	LINE PIPE	0								
	2	EA			WARNING SIGNS	21040-510-TYP-20028	CATHODIC PROTECTION STD. FOREIGN PIPELINE CROSSING TEST STATION, TYPE 2	4. THE CONTRACTOR SHALL ACCESS THE WORK AREA USING ONLY PUBLIC ROADS AND APPROVED ACCESS ROADS.	3R RAD FIT	1	IFC (UPDATE ENV., RE-ROUTES, FOOT-PRINT)	2016-04-08	MB	MJ	RG			
	0	EA			CP TEST STATION TYPE 1	21040-510-TYP-20029	AERIAL MARKERS	5. ADDITIONAL WARNING SIGNS MAY BE REQUIRED AS DICTATED BY CONSTRUCTION CONTRACT.	INDUCTION BEND	0	ISSUED FOR CONSTRUCTION	2015-12-15	MB	MJ	RG			
	1	EA			CP TEST STATION TYPE 2	21040-510-TYP-20112	ANODE BED DEEP WELL	6. MAP PROJECTION: NAD 1983 HARN STATE PLANE FLORIDA EAST FIPS 0901 FEET. VERTICAL DATUM: NAVD 88.	TRANSITION BEND									
	0	EA			CONTINUOUS CONCRETE COATING STANDARD FOR 36" / 30" PIPELINE	21040-510-TYP-20113			CONT CONC. COAT.									
	0	EA			CONTINUOUS CONCRETE COATING STANDARD FOR 36" / 30" PIPELINE	21040-510-TYP-20114			SET ON WEIGHTS									
	1	EA			45° 3R HORIZONTAL FITTING	21040-510-TYP-20115			WARNING SIGN									
	0	EA				21040-510-TYP-20116			AERIAL MARKER INSTALLATION DETAIL									
	0	EA				21040-510-TYP-20117			CP TEST STATION									
	0	EA				21040-510-TYP-20118			BY MOV. / BV & CV									
	0	EA				21040-510-TYP-20119			PIPELINE MARKER									
	0	EA				21040-510-TYP-20120			PIPELINE MILEPOST									
	0	EA				21040-510-TYP-20121			ANODE BED DEEP WELL									
	0	EA				21040-510-TYP-20122												