



**DISCLAIMER:** UNIVERSALPEGASUS INTERNATIONAL MAKES NO WARRANTY (EXPRESSED, IMPLIED OR OTHERWISE) THAT THE INFORMATION CONTAINED HEREIN IS ACCURATE OR COMPLETE AS TO ANY AND ALL SUBSURFACE CONDITIONS AND CONFORMATION. ANY RELIANCE CONTRACTOR PLACES ON THE INFORMATION CONTAINED HEREIN AS TO SUCH CONDITIONS, IS DONE SO AT ITS OWN RISK AND EXPENSE. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT THE STATE "ONE CALL" SYSTEM PRIOR TO ANY EXCAVATION.

SURVEY DATA		STATIONING	
MATCHLINE 2250+00		MATCHLINE 2300+00	
2253+16 MONUMENT RT 2253+93 FENCE 2254+63 P.I. 8.95119' LT 2254+78 P.I. 8.95119' LT 2254+79 GUY ANCHOR 2254+95 P.I. 8.95119' LT 2255+11 P.I. 8.95119' LT 2255+66 TOP OF BANK 2255+70 TOE OF SLOPE 2255+77 CL DITCH 2255+80 TOP OF BANK		2282+13 FENCE CORNER 2282+34 FENCE CORNER 2282+35 FENCE 2282+40 FENCE CORNER 2282+48 MONUMENT RT 2282+66 FENCE CORNER 2282+69 FENCE POST RT 2282+77 FENCE CORNER 2282+88 FENCE 2282+98 FENCE CORNER 2283+08 LT 13' 2283+21 ROAD EDGE 2283+31 KISSIMEE 2283+43 ROAD EDGE 2283+50 TOP OF BANK 2283+51 FENCE CH 2283+69 FENCE CH 2283+77 GUY ANCHOR LT 2283+83 TOP OF BANK 2283+94 POWER POLE LT	
ENGINEERING DATA		MATERIAL	
MATCHLINE 2250+00		MATCHLINE 2300+00	
REFERENCE DRAWING CLASS LOCATION MINIMUM DEPTH OF COVER AC MITIGATION / CATHODIC PROTECTION		61-9K# SBW 10.5 CC 2283+93 2284+95 2286+35 2283+93 2273+93 2283+93 2282+89 2283+01 2283+61 2283+69	
ENVIRONMENTAL DATA		STATIONS	
MATCHLINE 2250+00		MATCHLINE 2300+00	
WATERBODY/WETLAND CROSSINGS WATERBODY/WETLAND LENGTH PERMANENT EROSION CONTROL SLOPE BREAKER CODE TOPSOIL SAVAGE THREATENED AND ENDANGERED SPECIES TIMING CONSTRAINT CONSTRAINT 2 CONSTRAINT 3 CONSTRAINT 4		W-208 W-209 W-210 W-210 47' 40' 370' 19' 2250+02 2250+49 2251+52 2251+92 2251+92 2255+66 2255+62 2255+63 2255+82 2256+00 THIS BAND NOT UTILIZED THIS BAND NOT UTILIZED THIS BAND NOT UTILIZED THIS BAND NOT UTILIZED THIS BAND NOT UTILIZED THIS BAND NOT UTILIZED THIS BAND NOT UTILIZED	

BILL OF MATERIALS				MISCELLANEOUS MATERIALS				TYPICAL DRAWINGS		GENERAL INFORMATION		REVISIONS				APPROVALS					
ITEM NO.	QTY	UOM	DESCRIPTION	QTY	UOM	DESCRIPTION	DWG/FIELD BOOK NO.	TITLE	1. THE MINIMUM DEPTH OF COVER FOR THE PROJECT IS 36 INCHES. ADDITIONAL DEPTH OF COVER IS REQUIRED FOR ROAD AND WATERBODY CROSSINGS, AND IS TO BE IN ACCORDANCE WITH REFERENCED PERMIT DRAWINGS, SITE SPECIFIC DRAWINGS, OR CONSTRUCTION SPECIFICATIONS, WHICHEVER IS MORE STRINGENT.	LEGEND	NO.	DESCRIPTION	DATE	REV BY	CHK BY	APP BY	DRAWN BY:	MB	CONSTRUCTION PERMIT NO.		
1	4940	FT	36" O.D. x 0.520" W.T., API 5L, X70, PSL2, DSAW, 14-16 MILS FBE	61	EA	SET ON WEIGHTS	21040-510-TYP-20001	CATHODIC PROTECTION STD. SINGLE POINT TEST STATION, TYPE 1	2. THE BOUNDARIES OF ALL WORK AREAS WILL BE CLEARLY MARKED AND ALL WORK SHALL REMAIN WITHIN THE DESIGNATED WORK AREA.	PIPELINE ROUTE	1	IFC (UPDATE ENV., RE-ROUTES, FOOT-PRINT)	2016-04-08	MB	MJ	RG	PROJECT MANAGER	RG	MIN. TEST PRESSURE 1816 PSI		
3	60	FT	36" O.D. x 0.625" W.T., API 5L, X70, PSL2, DSAW, 14-16 MILS FBE & 24-30 MILS ARO	4	EA	PIPELINE MARKERS	21040-510-TYP-20002	CATHODIC PROTECTION STD. FOREIGN PIPELINE CROSSING TEST STATION, TYPE 2	3. THE REQUIRED STATE ONE CALL NOTIFICATION IS THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR.	GENERAL SURVEY	0	ISSUED FOR CONSTRUCTION	2015-12-15	MB	MJ	RG	PROJECT DEF. NO.		DESIGN PRESSURE 1440 PSI		
FITTINGS SUMMARY				CONTINUOUS CONCRETE COATING				SPECIAL NOTES		APPROVAL				COMPANY							
ITEM NO.	QTY	UOM	DESCRIPTION	QTY	UOM	DESCRIPTION	21040-510-TYP-20028	TYPICAL OPEN CUT / BORE	4. THE CONTRACTOR SHALL ACCESS THE WORK AREA USING ONLY PUBLIC ROADS AND APPROVED ACCESS ROADS.	PIPELINE ROUTE	ENVIRONMENTAL		APPROVAL		COMPANY		FLORIDA SOUTHEAST CONNECTION				
PIPE ASSEMBLIES				PIPE COATING DATA				AERIAL MARKER INSTALLATION DETAIL		5. ADDITIONAL WARNING SIGNS MAY BE REQUIRED AS DICTATED BY CONSTRUCTION CONTRACT.	PIPELINE ROUTE	LAND		APPROVAL		COMPANY		FLORIDA SOUTHEAST CONNECTION PROJECT			
GIRTH WELD COATING: 2 PART EPOXY				INTERNAL COATING (YES/NO): NO				AERIAL MARKER DETAIL		6. MAP PROJECTION: NAD 1983 HARN STATE PLANE FLORIDA EAST FIPS 0901 FEET. VERTICAL DATUM: NAVD 88.	PIPELINE ROUTE	APPROVAL		COMPANY		FLORIDA SOUTHEAST CONNECTION PROJECT					
INTERNAL COATING (YES/NO): NO				INTERNAL COATING (YES/NO): NO				TYPICAL PIPELINE MARKER ASSEMBLY		1. INDUCTION BEND QUANTITIES ALONG WITH THEIR DESCRIPTIONS ARE LOCATED ON DRAWING 21040-505-FBW-00001.	PIPELINE ROUTE	APPROVAL		COMPANY		FLORIDA SOUTHEAST CONNECTION PROJECT					
INTERNAL COATING (YES/NO): NO				INTERNAL COATING (YES/NO): NO				PIPELINE MARKER "WARNING" DECAL		2. 3 - SEE ARK DRAWING PACKAGE FOR ANODE BED DEEP WELL.	PIPELINE ROUTE	APPROVAL		COMPANY		FLORIDA SOUTHEAST CONNECTION PROJECT					