



SURVEY DATA	STATIONING	MATERIAL	CLASSIFICATION	STATIONS	ENVIRONMENTAL DATA
MATCHLINE 2600+00	2608+82	74-9K# SBW 10.5 CC	Class I	2611+16 2611+24 2612+29	W-237 W-237 W-237 W-238
MATCHLINE 2600+00	2610+66			2615+55 2615+66 2616+40	
MATCHLINE 2600+00	2618+32			2617+74 2617+82 2618+70	
MATCHLINE 2600+00	2619+83				
MATCHLINE 2600+00	2619+83				
MATCHLINE 2600+00	2625+32				
MATCHLINE 2600+00	2635+61				
MATCHLINE 2600+00	2635+61				
MATCHLINE 2600+00	2638+33				
MATCHLINE 2600+00	2643+20	10-9K# SBW 10 CC	Class II	2643+91 2644+11 2644+46 2644+66	W-33A
MATCHLINE 2600+00	2643+20				
MATCHLINE 2600+00	2643+80				
MATCHLINE 2600+00	2643+80				
MATCHLINE 2600+00	2644+52				
MATCHLINE 2600+00	2644+52				
MATCHLINE 2600+00	2644+66				
MATCHLINE 2600+00	2644+66				

BILL OF MATERIALS				MISCELLANEOUS MATERIALS				TYPICAL DRAWINGS		GENERAL INFORMATION		REVISIONS				APPROVALS			
ITEM NO.	QTY	UOM	DESCRIPTION	QTY	UOM	DESCRIPTION	DWG/FIELD BOOK NO.	TITLE	1.	THE MINIMUM DEPTH OF COVER FOR THE PROJECT IS 36 INCHES. ADDITIONAL DEPTH OF COVER IS REQUIRED FOR ROAD AND WATERBODY CROSSINGS, AND IS TO BE IN ACCORDANCE WITH REFERENCED PERMIT DRAWINGS, SITE SPECIFIC DRAWINGS, OR CONSTRUCTION SPECIFICATIONS, WHICHEVER IS MORE STRINGENT.	NO.	DESCRIPTION	DATE	REV BY	CHK BY	APP BY	DRAWN BY:	MB	CONSTRUCTION PERMIT NO.
1	3633	FT	36" O.D. x 0.520" W.T., API 5L, X70, PSL2, DSAW, 14-16 MILS FBE	84	EA	SET ON WEIGHTS	21040-510-TYP-20001	CATHODIC PROTECTION STD. SINGLE POINT TEST STATION, TYPE 1	2.	THE BOUNDARIES OF ALL WORK AREAS WILL BE CLEARLY MARKED AND ALL WORK SHALL REMAIN WITHIN THE DESIGNATED WORK AREA.	1						MB	MJ	RG
5	1367	FT	36" O.D. x 0.625" W.T., API 5L, X70, PSL2, DSAW, 14-16 MILS FBE	2	EA	PIPELINE MARKERS	21040-510-TYP-20002	CATHODIC PROTECTION STD. FOREIGN PIPELINE CROSSING TEST STATION, TYPE 2	3.	THE REQUIRED STATE ONE CALL NOTIFICATION IS THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR.	0						MB	MJ	RG
				4	EA	WARNING SIGNS	21040-510-TYP-20028	TYPICAL OPEN CUT / BORE	4.	THE CONTRACTOR SHALL ACCESS THE WORK AREA USING ONLY PUBLIC ROADS AND APPROVED ACCESS ROADS.	0						MB	MJ	RG
				1	EA	CP TEST STATION TYPE 1	21040-510-TYP-20029	CONTINUOUS CONCRETE COATING STANDARD FOR 36" / 30" PIPELINE	5.	ADDITIONAL WARNING SIGNS MAY BE REQUIRED AS DICTATED BY CONSTRUCTION CONTRACT.	APPROVAL				COMPANY				
				0	EA	CP TEST STATION TYPE 2	21040-510-TYP-20011	TYPICAL SADDLE BAG WEIGHTS	6.	MAP PROJECTION: NAD 1983 HARN STATE PLANE FLORIDA EAST FIPS 0901 FEET. VERTICAL DATUM: NAVD 88.	ENVIRONMENTAL				LAND				
				1	EA	AERIAL MARKERS	21040-510-TYP-20015	AERIAL MARKER INSTALLATION DETAIL	SPECIAL NOTES		1 INCH = 200 FT				FLORIDA SOUTHEAST CONNECTION PROJECT				
				0	EA	ANODE BED DEEP WELL	21040-510-TYP-20016	AERIAL MARKER DETAIL	1. INDUCTION BEND QUANTITIES ALONG WITH THEIR DESCRIPTIONS ARE LOCATED ON DRAWING 21040-505-FBW-00001.		0				FLORIDA SOUTHEAST CONNECTION ALIGNMENT SHEET				
				0	EA		21040-510-TYP-20017	TYPICAL PIPELINE MARKER ASSEMBLY	2. SEE ARK DRAWING PACKAGE FOR ANODE BED DEEP WELL.		0				POLK COUNTY, FLORIDA				
				0	EA		21040-510-TYP-20018	PIPELINE MARKER "WARNING" DECAL			0				SCALE: 1" = 200'				
				0	EA						0				21040-510-ALS-00057				
				0	EA						0				REV. 1				