



DISCLAIMER: UNIVERSALPEGASUS INTERNATIONAL MAKES NO WARRANTY (EXPRESSED, IMPLIED OR OTHERWISE) THAT THE INFORMATION CONTAINED HEREIN IS ACCURATE OR COMPLETE AS TO ANY AND ALL SUBSURFACE CONDITIONS AND CONFORMATION. ANY RELIANCE CONTRACTOR PLACES ON THE INFORMATION CONTAINED HEREIN AS TO SUCH CONDITIONS, IS DONE SO AT ITS OWN RISK AND EXPENSE. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT THE STATE "ONE CALL" SYSTEM PRIOR TO ANY EXCAVATION.

SURVEY DATA		STATIONING		6125+00		6150+00	
ENGINEERING DATA		MATERIAL		12-7K# SBW 11.5 CC		2500'	
ENVIRONMENTAL DATA		STATIONS		6130+42 6130+94 6131+18 6131+32		6137+42 6137+65 6137+86 6138+48	
				6144+17 6144+20 6144+53 6144+82			

BILL OF MATERIALS				MISCELLANEOUS MATERIALS				TYPICAL DRAWINGS		GENERAL INFORMATION		LEGEND		REVISIONS			APPROVALS				
ITEM NO.	QTY	UOM	DESCRIPTION	QTY	UOM	DESCRIPTION	DWG/FIELD BOOK NO.	TITLE	1. THE MINIMUM DEPTH OF COVER FOR THE PROJECT IS 36 INCHES. ADDITIONAL DEPTH OF COVER IS REQUIRED FOR ROAD AND WATERBODY CROSSINGS, AND IS TO BE IN ACCORDANCE WITH REFERENCED PERMIT DRAWINGS, SITE SPECIFIC DRAWINGS, OR CONSTRUCTION SPECIFICATIONS, WHICHEVER IS MORE STRINGENT.	HD PIPE	PIPELINE ROUTE	NO.	DESCRIPTION	DATE	REV BY	CHK BY	APP BY	DRAWN BY:	MB	CONSTRUCTION PERMIT NO.	
Z	2500	FT	30" O.D. x 0.429" W.T., API 5L X70, PSL2, DSAW, 14-16 MILS FBE	36	EA	SET ON WEIGHTS	21040-510-TYP-20001	CATHODIC PROTECTION STD. SINGLE POINT TEST STATION, TYPE 1	2. THE BOUNDARIES OF ALL WORK AREAS WILL BE CLEARLY MARKED AND ALL WORK SHALL REMAIN WITHIN THE DESIGNATED WORK AREA.	BORE PIPE	FENCE										
				2	EA	PIPELINE MARKERS	21040-510-TYP-20002	CATHODIC PROTECTION STD. FOREIGN PIPELINE CROSSING TEST STATION, TYPE 2	3. THE REQUIRED STATE ONE CALL NOTIFICATION IS THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR.	LINE PIPE	POWER LINE	1									
				0	EA	WARNING SIGNS	21040-510-TYP-20028	TYPICAL OPEN CUT / BORE	4. THE CONTRACTOR SHALL ACCESS THE WORK AREA USING ONLY PUBLIC ROADS AND APPROVED ACCESS ROADS.	3R RAD PIT	TELEPHONE LINE	0									
				0	EA	CP TEST STATION TYPE 1	21040-510-TYP-20029	CONTINUOUS CONCRETE COATING STANDARD FOR 36" / 30" PIPELINE	5. ADDITIONAL WARNING SIGNS MAY BE REQUIRED AS DICTATED BY CONSTRUCTION CONTRACT.	INDUCTION BEND	WATERLINE	1	IFC (UPDATE ENV., RE-ROUTES, FOOT-PRINT)	2016-04-08	MB	MJ	RG			1816	
				0	EA	CP TEST STATION TYPE 2		TYPICAL SADDLE BAG WEIGHTS	6. MAP PROJECTION: NAD 1983 HARN STATE PLANE FLORIDA EAST FIPS 0901 FEET. VERTICAL DATUM: NAVD 88.	TRANSITION PIPE	SEWER LINE	0	ISSUED FOR CONSTRUCTION	2015-12-15	MB	MJ	RG			1440	
				0	EA	AERIAL MARKERS	21040-510-TYP-20112	WARNING SIGN DETAIL		CONT. CONC. COAT.	BURIED CABLE										
				0	EA	ANODE BED DEEP WELL	21040-510-TYP-20113	AERIAL MARKER INSTALLATION DETAIL		UTILITY LINE	UTILITY LINE										
FITTINGS SUMMARY				CONTINUOUS CONCRETE COATING				SPECIAL NOTES		LEGEND		APPROVAL			COMPANY			UNIVERSALPEGASUS INTERNATIONAL			
ITEM NO.	QTY	UOM	DESCRIPTION	QTY	UOM	DESCRIPTION	21040-510-TYP-20113	TYPICAL SADDLE BAG WEIGHTS	1. INDUCTION BEND QUANTITIES ALONG WITH THEIR DESCRIPTIONS ARE LOCATED ON DRAWING 21040-505-FBW-00001.	GENERAL SURVEY	COUNTY BOUNDARY	PERMANENT ROW	NO.	DESCRIPTION	DATE	REV BY	CHK BY	APP BY	DRAWN BY:	MB	CONSTRUCTION PERMIT NO.
							21040-510-TYP-20114	WARNING SIGN DETAIL	2. 3" - SEE AERK DRAWING PACKAGE FOR ANODE BED DEEP WELL.	FOREIGN PIPELINE	RAILROAD	TEMPORARY WORKSPACE									
							21040-510-TYP-20115	AERIAL MARKER INSTALLATION DETAIL		HIGHWAY / ROAD	PLSS SECTION LINE	ADDITIONAL TEMPORARY WORKSPACE	1								
							21040-510-TYP-20116	AERIAL MARKER DETAIL		PRIVATE ACCESS / SHOPLY ROAD	PLSS SECTION LINE	NON-FORESTED WETLAND	0								
PIPE ASSEMBLIES				PIPE COATING DATA				SPECIAL NOTES		LEGEND		APPROVAL			COMPANY			UNIVERSALPEGASUS INTERNATIONAL			
QTY	UOM	DESCRIPTION	PIPE COATING: 14 MIL MINIMUM FBE AND 24 MIL MINIMUM ARO	QTY	UOM	DESCRIPTION	21040-510-TYP-20117	TYPICAL PIPELINE MARKER ASSEMBLY		ROW PARCEL	PLSS SECTION LINE	FORESTED WETLAND									
			GIRTH WELD COATING: 2 PART EPOXY				21040-510-TYP-20118	PIPELINE MARKER "WARNING" DECAL		WATER WELL	TRAP	ROCKERY									
			INTERNAL COATING (YES/NO): NO							ANODE BED DEEP WELL	WATER WELL	ROCKERY BUFFER (1000 FEET)									