

reuse, and evapotranspiration. At a minimum, the permittee shall assess those regulations governing road design and parking requirements. During the review, the permittee should consider the inclusion of incentives for use of GI/LID practices into the regulatory documents. For existing permittees, the evaluation should have been completed, a written report submitted to EPD, and any necessary revisions completed and adopted ordinances submitted to EPD during the previous permit iteration (due by December 6, 2016). For new permittees, the evaluation must be completed within two years of designation and a written report submitted to EPD with the subsequent annual report. Any necessary revisions must be completed, and adopted ordinances submitted to EPD within four years after designation.

Design information on GI/LID practices can be found on the Atlanta Regional Commission’s website (<http://www.atlantaregional.com/>) for the GSMM and the CSS. Additional information on GI/LID and better site design can be found on numerous websites, including these suggested sites: USEPA (www.epa.gov), Center for Watershed Protection (www.cwp.org), Georgia Coastal Resource Division’s “Georgia’s Green Growth Guidelines” (<http://coastalgadnr.org/cm/green.guide>), and Green Infrastructure Center (www.gicinc.org). In addition, you may want to consult the following webpage on EPA’s website: www.epa.gov/nps/lid.

For existing permittees, the program shall, at a minimum, implement the requirements shown in Table 4.2.5(a) below and include descriptions of how they are implemented in the SWMP:

Table 4.2.5(a) Post-Construction Stormwater Management - Best Management Practices (Existing Permittees)

BMPs	Measurable Goals
1. Legal Authority	1.a. Evaluate, and if necessary, modify the existing ordinance. If the ordinance is revised during the reporting period, submit a copy of the adopted ordinance with the annual report.
2. Inventory	2.a. Annually update an inventory of all publicly-owned post-construction stormwater management structures (e.g. detention/retention ponds, water quality vaults) and only those privately-owned structures designed after the December 9, 2008 deadline for adoption of the GSMM (i.e. new structures). The inventory shall include information on the number and type of structures, and ownership (i.e. publicly-owned, privately-owned). The